Asotin County

Youth & Tobacco Data Summary 8TH GRADE

Year 2000

| | | Year 2000 | County % | State % |
|---------------------------|------------------------|---------------------------------|----------------|---------------------|
| 8th Grade St | udents Surveyed | n= 194 | 100.0 % | 100.0 % |
| Gender | | | | |
| Female | | | 53.8 % | 51.9 % |
| Male | | | 46.2 % | 48.1 % |
| Race/Ethnici | | | | |
| Students of | Color | | 12.6 % | 28.7 % |
| White | | | 87.4 % | 71.3 % |
| | | | County %+/- | State %+/- |
| | | | Margin | Margin |
| | | | of Error | of Error |
| Past 30 days at least onc | s, youth who have smo | oked cigarettes | | |
| Female | n= 100 | | 12.0 %+/- 6.4 | 14.5 %+/- 1.7 |
| Male | n= 83 | | 12.0 %+/- 7.0 | 10.3 %+/- 1.5 |
| Total | n= 183 | | 12.0 %+/- 4.6 | 12.5 %+/- 1.1 |
| Pact 30 days | vouth who have em | oked cigars at least once | | |
| Female | n= 100 | oked cigars at least office | 1.0 %+/- 2.0 | 3.0 %+/- 0.8 |
| Male | n= 84 | | 4.8 %+/- 4.6 | 5.4 %+/- 1.1 |
| Total | n= 184 | | 2.6 %+/- 2.3 | 4.3 %+/- 0.7 |
| Paet 30 days | vouth who have sme | oked tobacco in a pipe | | |
| at least once | | oked tobacco iii a pipe | | |
| Female | n= 100 | | 0.0 %+/- 0.0 | 1.7 %+/- 0.6 |
| Male | n= 81 | | 3.7 %+/- 4.1 | 2.4 %+/- 0.8 |
| Total | n= 181 | | 1.6 %+/- 1.8 | 2.1 %+/- 0.5 |
| Paet 30 days | vouth who have sm | oked bidis (flavored cigarettes | ١ | |
| at least once | • • | oned bidio (navored digurettes | 1 | |
| Female | n= 100 | | 3.0 %+/- 3.3 | 3.4 %+/- 0.8 |
| Male | n= 81 | | 7.4 %+/- 5.7 | 3.1 %+/- 0.9 |
| Total | n= 181 | | 4.8 %+/- 3.0 | 3.3 %+/- 0.6 |
| Past 30 days | vouth who have use | ed smokeless tobacco | | |
| • | bacco, snuff or dip) a | | | |
| Female | n= 99 | it loadt onloc | 1.0 %+/- 2.0 | 1.4 %+/- 0.6 |
| Male | n= 79 | | 5.1 %+/- 4.8 | 2.6 %+/- 0.8 |
| Total | n= 178 | | 2.7 %+/- 2.3 | 2.1 %+/- 0.5 |
| Past 30 days | s. vouth who have use | ed any tobacco product | | |
| at least onc | | , p | | |
| Female | n= 99 | | 12.1 %+/- 6.4 | 15.5 %+/- 1.7 |
| Male | n= 79 | | 20.3 %+/- 8.9 | 14.0 %+/- 1.7 |
| Total | n= 178 | | 15.6 %+/- 5.2 | 14.9 %+/- 1.2 |
| | | | 10.0 /0.7- 0.2 | 1-11-0 /0 - /1- 112 |

Source: Washington State Department of Health Tobacco Prevention and Control

Assessment and Evaluation

n = number of survey respondents for county.

* = Rate not calculated because number of responses was less than 15.

Asotin County

Youth & Tobacco Data Summary 8TH GRADE

Year 2000

| . Gai. <u>2</u> 000 | County %+/- Margin of Error | State %+/- Margin of Error |
|--|--|--|
| About how many cigarettes have you smoked in your entire life? None 1/2 pack or less 1 - 4 packs 5 or more packs | n= 184 67.9 %+/- 6.7 19.0 %+/- 5.7 5.4 %+/- 3.3 7.6 %+/- 3.8 | 64.9 %+/- 1.6 22.2 %+/- 1.4 6.3 %+/- 0.9 6.6 %+/- 0.8 |
| Do you want to stop using tobacco right now? (among current tobacco users) Yes | n= 34 64.7 %+/- 16.1 | 59.3 %+/- 4.1 |
| Have you ever participated in a program to help you quit using tobacco? (among current tobacco users) Yes | n= 25 8.0 %+/- 10.6 | 7.2 %+/- 2.0 |
| During past 12 months, did you ever try to quit using tobacco? (cigarettes, cigars, or chew/dip)(among current tobacco users) Yes | n= 16 31.3 %+/- 22.7 | 61.2 %+/- 5.2 |
| Do you think you will smoke a cigarette at any time during the next year? Definitely no | n= 189 65.1 %+/- 6.8 | 60.8 %+/- 1.7 |
| If one of your best friends offered you a cigarette, would you smoke it? Definitely no | n= 189 72.5 %+/- 6.4 | 64.0 %+/- 1.6 |
| Susceptibility Index (combination of the previous two questions, either of which receives any answer other than 'Definitely no') Susceptible | n= 189 37.0 %+/- 6.9 | 43.5 %+/- 1.7 |
| If one of your best friends offered you a cigarette, would you smoke it? (from among youth who did not smoke in last 30 days) Definitely no | n= 164 81.1 %+/- 6.0 | 72.1 %+/- 1.6 |
| Do you think the smoke from other people's cigarettes (second-hand smoke) is harmful to you? Definitely yes or Probably yes | n= 192 87.0 %+/- 4.8 | 89.0 %+/- 1.0 |
| Do you think it is safe to smoke for only a year or two, as long as you quit after that? Definitely no | n= 190 76.3 %+/- 6.0 | 69.5 %+/- 1.6 |

Asotin County

Youth & Tobacco Data Summary 8TH GRADE

Year 2000

| Teal 2000 | County %+/- Margin of Error | State %+/- Margin of Error |
|---|-----------------------------------|----------------------------------|
| Would you ever use or wear something that has a tobacco company name or picture on it such as a lighter, t-shirt, hat, or sunglasses? Definitely no | n= 189 43.4 %+/- 7.1 | 45.5 %+/- 1.7 |
| During last 12 months, did you buy or receive anything that has a tobacco name or picture on it? Yes | n= 186 12.9 %+/- 4.8 | 16.2 %+/- 1.2 |
| During past 7 days, on how many days were you in the same room with someone who was smoking cigarettes? 3 or more days | n= 124 21.8 %+/- 7.3 | 29.7 %+/- 3.1 |
| During past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes? 3 or more days | n= 124 17.7 %+/- 6.7 | 24.3 %+/- 2.9 |
| During this school year, did you practice ways to say 'NO' to tobacco in any of your classes (for example, by role playing)? Yes | n= 189 60.3 %+/- 7.0 | 48.6 %+/- 1.7 |
| During past 30 days, have you seen or heard commercials on TV, the Internet, or on the radio about the dangers of cigarette smoking? More than once a week | n= 189 64.0 %+/- 6.8 | 77.1 %+/- 1.5 |
| How wrong would most adults in your neighborhood think it was for kids your age to smoke cigarettes? Very wrong | n= 193 60.6 %+/- 6.9 | 57.6 %+/- 1.7 |
| If you wanted to get some tobacco, how easy would it be for you to get some? Very hard or Sort of hard | n= 188 53.7 %+/- 7.1 | 52.2 %+/- 1.7 |
| Has either of your parents (or guardians) discussed the dangers of tobacco use with you? Yes | n= 192 75.5 %+/- 6.1 | 71.2 %+/- 1.5 |
| Does anyone who lives with you now smoke cigarettes? Yes | n= 124 29.0 %+/- 8.0 | 38.7 %+/- 3.3 |